


















FLAT TOP - TOWER CRANE



CE FEM 1.001 A3






Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and Irmãos Tavares 2 makes no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade-names of Irmãos Tavares 2 and/or its subsidiaries in Portugal and other countries and all rights are reserved.



ELEMENTS








IT46f	A (mm)	B (mm)	C (mm)	Peso (kg)
E1b 	6125	800	1517	1104
E2b 	6125	800	1495	590
E2a 	6125	800	1077	510
E2 	6125	800	1075	405
E3 	6125	800	1054	346
E4 	6125	800	1032	274
E5 	6125	800	1015	215
E6b 	6063	800	1017	210
E6a 	3498	800	1017	100
	2220	1410	2212	2846
	7740	1092	898	2998
	800	380	2800	2000
	800	190	2800	1000
	11855	1150	1150	1726
	6055	1150	1150	954
	3235	1150	1150	592

IT 46f

MECHANISMS

				kW	hp
	m/min.				
	ton.				
	2f m/min.	0 - 58	0 - 29	11	15
	2fd ton.	2.5	5.0		
	3f m/min.	0 - 68	0 - 34	13	18
	3fd ton.	2.5	5.0		
4f m/min.	0 - 78	0 - 39	19	26	
4fd ton.	2.5	5.0			
	m/min.	0 - 58		3	4
	rpm	0 - 0,91		4,8	6,5

CEI 38 	IEC 38	kVA	
400V (+6% -10%) 50Hz		2f - 24 kVA 3f - 26 kVA 4f - 34 kVA	2000 / 14 / CE

						
Hoisting	Trolleying	Slewing	Travelling	Travelling	Power requirements	Directive on noise level

